LLOYD, Inc. SAFETY DATA SHEET



CANI-FLEX

Revision 01

Revision Date: 23 July 2015

1. **IDENTIFICATION**

Product Name:	Cani-Flex			
Synonyms:	Chewable Glucosamine Nutritional Supplement			
Company:	LLOYD, Inc. 604 West Thomas Avenue P.O. Box 130 Shenandoah, IA 51601-0130 USA (712) 246-4000			
Emergency Contact: National Capital Poison Center (800) 222-1222				
Recommended Use: To maintain healthy cartilage and support joint health and fund				

Recommended Use: To maintain healthy cartilage and support joint health and function in dogs.

2. HAZARDS IDENTIFICATION

WARNING



EYE: This product is not expected to irritate the eyes.

SKIN CONTACT: This product is not expected to irritate the skin.

INGESTION: This has not been evaluated.

INHALATION: Inhalation exposure under normal conditions of use is not likely to cause adverse effects, however irritation may occur if use conditions generate dust.

Dicalcium Phosphate--Oral LD50 (rat): 10,000 mg/kg; Dermal LD50 (rabbit): >7940 mg/kg

Choline Chloride 50% Powder--Oral LD50 (rat): 6640 mg/kg; I.P. LD50 (rat): 400 mg/kg;

SIGNS AND SYMPTOMS OF EXPOSURE:

Choline Chloride 50% Powder: Possible liver effects, kidney effects, gastrointestinal complications, nausea, vomiting, headache, skin irritation or rash, eye irritation, tearing or blurring of vision.

CANI-FLEX

Revision 01

3. INFORMATION ON INGREDIENTS

(% w/w), unless otherwise noted

			EXPOSURE LIMITS, ppm	
			OSHA	ACGIH
COMPONENT	CAS#	%	PEL	TLV (mg/m ³)
Dicalcium Phosphate	7757-93-9	13.9	None Established	
Calcium Carbonate	1317-65-3	7.4	30 mppcf	10 Total Dust 5 Respirable Dust
Choline Chloride, 50%	67-48-1	4.2	None Established	

This document is prepared pursuant to the OSHA Hazard Communication Standard (29 CFR 1910.1200).

Only those ingredients composing $\geq 1\%$ ($\geq 0.1\%$ for carcinogens or suspect carcinogens) of the formula (w/w) and which have hazards identified are listed. Starch dust has a minimum explosive limit of 0.04 oz/ft³; no maximum limit. The exposure limit associated with glycerin mist is not applicable to the product in the solid dosage form.

4. FIRST AID MEASURES

EYES: Immediately flush eyes with copious amounts of running water for 15 minutes.

SKIN: Wash with soap and water.

INGESTION: SEEK MEDICAL ATTENTION IMMEDIATELY. Treatment is by gastric lavage or emesis.

INHALATION: If a person has been exposed to excessive quantities of dust due to mishaps, move the person to fresh air. Give artificial respiration if not breathing.

SEEK MEDICAL ATTENTION IMMEDIATELY IF EXCESSIVE EXPOSURE OCCURS.

5. **FIREFIGHTING MEASURES**

This has not been evaluated.

Extinguishing media: Water fog, alcohol foam, CO₂, dry chemical.

SPECIAL FIRE FIGHTING PROCEDURES: A strong fire could cause evolution of toxic and flammable trimethylamine from the choline chloride.

6. <u>ACCIDENTAL RELEASE MEASURES</u>

Action to take for spills/leaks: Sweep up and dispose of in DOT-approved waste containers. Keep out of sewers, storm drains, surface waters and soil.

7. HANDLING AND STORAGE

Special precautions to be taken in handling and storage: Exercise reasonable care and caution.

Revision 01

8. <u>EXPOSURE CONTROLS/PERSONAL PROTECTION</u>

There is no OSHA PEL or ACGIH TLV for this product. Under normal conditions of use, no special handling precautions are required in areas with adequate ventilation. However, under conditions of prolonged exposure in which quantities of dust are generated, mechanical ventilation, safety glasses with side shields, gloves and a NIOSH approved dust respirator are recommended.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance: Tan elliptical tablet.

Other physical data have not been determined.

10. STABILITY AND REACTIVITY

This has not been evaluated. The product is expected to be stable under normal storage conditions; avoid strong oxidizers. Choline chloride is corrosive to steel, copper, brass and aluminum. The addition of alkaline material to choline chloride will release choline base and trimethylamine.

11. TOXICOLOGICAL INFORMATION

N/A

12. ECOLOGICAL INFORMATION

Action to take for spills/leaks: Sweep up and dispose of in DOT-approved waste containers. Keep out of sewers, storm drains, surface waters and soil.

13. DISPOSAL CONSIDERATIONS

Dispose of contaminated product and materials used in cleaning up spills or leaks in a manner approved for this material. Consult appropriate federal, state and local regulatory agencies to ascertain proper disposal procedures.

14. TRANSPORT INFORMATION

No special transportation required

15. <u>REGULATORY INFORMATION</u>

(Not meant to be all-inclusive--selected regulations represented.)

NOTICE: The information herein is presented in good faith and believed to be accurate as of the effective date shown above. However, no warranty, express or implied, is given. Regulatory requirements are subject to change and may differ from one location to another; it is the buyer's responsibility to ensure that its activities comply with federal, state or provincial, and local laws. The following specific information is made for the purpose of complying with numerous federal, state or provincial, and local laws and regulations. See SDS for health and safety information.

U.S. REGULATIONS: SARA HAZARD CATEGORY: This product has been reviewed according to the federal EPA "Hazard Categories" promulgated under Sections 311 and 312 of the Superfund Amendment and Reauthorization Act of 1986 (SARA Title III) and is considered, under applicable definitions, to be exempt from reporting requirements. Nevertheless, potential reporters should check with their state emergency response commissions to determine if this product must be reported under applicable state requirements.

Dicalcium phosphate contains the following chemicals considered by the State of California's Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65) as causing cancer or reproductive toxicity and for which warnings are now required: Arsenic--CAS No. 7440-38-2; Cadmium--CAS No. 7440-43-9; Lead--CAS No. 7439-92-1.

16. OTHER INFORMATION

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.