

## LLOYD, Inc.

# **SAFETY DATA SHEET**

RUMEN-EZE® Revision 01 Revision Date: 27 July 2015

## 1. <u>IDENTIFICATION</u>

Product Name: Rumen-Eze®

**Synonyms**: Emulsion

Company: LLOYD, Inc.

604 West Thomas Avenue

P.O. Box 130

Shenandoah, IA 51601-0130

**USA** 

(712) 246-4000

**Emergency Contact:** National Capital Poison Center

(800) 222-1222

Recommended Use: As an aid in the treatment of frothy bloat in cattle and sheep.

## 2. HAZARDS IDENTIFICATION

#### **WARNING**



EYE: This product is not expected to irritate the eyes under normal conditions of use.

**SKIN CONTACT**: This product is not expected to irritate the skin under normal conditions of use.

**INGESTION**: This has not been evaluated.

**INHALATION**: Inhalation exposure under normal conditions of use is not likely to cause adverse effects. Should vegetable oil mist exist, respiratory protection should be worn; vegetable oil mists are classified as a respiratory "nuisance particulate" (no health effects) by ACGIH.

Sodium Benzoate--Breathing dust may irritate the nose and throat and cause coughing and chest discomfort. Dusts may irritate the eyes. No skin irritation is likely after brief contact but may be irritating after prolonged contact. Oral LD50 (rat): 4100 mg/kg.

## 3. <u>INFORMATION ON INGREDIENTS</u>

(% w/w), unless otherwise noted

|                 |          |     | EXPOSURE LIMITS, ppm |                          |  |
|-----------------|----------|-----|----------------------|--------------------------|--|
|                 |          |     | OSHA                 | ACGIH                    |  |
| COMPONENT       | CAS#     | %   | PEL                  | TLV (mg/m <sup>3</sup> ) |  |
| Sodium Benzoate | 532-32-1 | 1.9 | None Established     |                          |  |

This document is prepared pursuant to the OSHA Hazard Communication Standard (29 CFR 1910.1200). Only those ingredients composing  $\geq$ 1% ( $\geq$ 0.1% for carcinogens or suspect carcinogens) of the formula (w/w) and which have hazards identified are listed.

Revision Date: 27 July 2015

### 4. FIRST AID MEASURES

**EYES**: Immediately flush eyes with copious amounts of running water for 15 minutes.

**SKIN**: Wash with soap and water.

**INGESTION: SEEK MEDICAL ATTENTION IMMEDIATELY**. Treatment is by gastric lavage or emesis.

**INHALATION**: If a person has been exposed to excessive quantities of dust due to mishaps, move the person to fresh air. Give artificial respiration if not breathing.

SEEK MEDICAL ATTENTION IMMEDIATELY IF EXCESSIVE EXPOSURE OCCURS.

## 5. <u>FIREFIGHTING MEASURES</u>

This has not been evaluated.

**Extinguishing media**: Water fog, alcohol foam, CO<sub>2</sub>, dry chemical.

## 6. ACCIDENTAL RELEASE MEASURES

**Action to take for spills/leaks**: Sweep up and dispose of in DOT-approved waste containers. Keep out of sewers, storm drains, surface waters and soil.

#### 7. HANDLING AND STORAGE

**Special precautions to be taken in handling and storage**: Exercise reasonable care and caution.

#### 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

There is no OSHA PEL or ACGIH TLV for this product. Under normal conditions of use, no special handling precautions are required in areas with adequate ventilation. However, under conditions of prolonged exposure in which quantities of dust are generated, mechanical ventilation, safety glasses with side shields, gloves and a NIOSH approved dust respirator are recommended.

#### 9. PHYSICAL AND CHEMICAL PROPERTIES

**Appearance**: Milky white emulsion. Specific gravity = 0.978.

Other physical data have not been determined.

## 10. STABILITY AND REACTIVITY

This has not been evaluated. The product is expected to be stable under normal storage conditions; avoid strong oxidizers.

#### **HAZARDOUS DECOMPOSITION PRODUCTS:**

Sodium benzoate may liberate carbon monoxide, carbon dioxide and oxides of nitrogen and benzoic acid.

Revision Date: 27 July 2015

#### 11. TOXICOLOGICAL INFORMATION

N/A

#### 12. ECOLOGICAL INFORMATION

**Action to take for spills/leaks**: Sweep up and dispose of in DOT-approved waste containers. Keep out of sewers, storm drains, surface waters and soil.

#### 13. DISPOSAL CONSIDERATIONS

Dispose of contaminated product and materials used in cleaning up spills or leaks in a manner approved for this material. Consult appropriate federal, state and local regulatory agencies to ascertain proper disposal procedures.

## 14. TRANSPORT INFORMATION

No special transportation required

## 15. REGULATORY INFORMATION

#### (Not meant to be all-inclusive--selected regulations represented.)

NOTICE: The information herein is presented in good faith and believed to be accurate as of the effective date shown above. However, no warranty, express or implied, is given. Regulatory requirements are subject to change and may differ from one location to another; it is the buyer's responsibility to ensure that its activities comply with federal, state or provincial, and local laws. The following specific information is made for the purpose of complying with numerous federal, state or provincial, and local laws and regulations. See SDS for health and safety information.

**U.S. REGULATIONS**: SARA HAZARD CATEGORY: This product has been reviewed according to the federal EPA "Hazard Categories" promulgated under Sections 311 and 312 of the Superfund Amendment and Reauthorization Act of 1986 (SARA Title III) and is considered, under applicable definitions, to be exempt from reporting requirements. Nevertheless, potential reporters should check with their state emergency response commissions to determine if this product must be reported under applicable state requirements.

TSCA: Sodium benzoate is on the TSCA inventory.

# 16. <u>OTHER INFORMATION</u>

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.