




A Division of LLOYD, Inc.

Hydra-Lyte®

Water Soluble
Supplemental source of nutrients
for young animals

Indications: For use as an electrolyte replacement and nutritional supplement in young calves, lambs and foals.

- **Energy-rich with glucose to correct hypoglycemia**
- **Supplies sodium acetate to correct acidosis**
- **Provides optimum electrolyte and water absorption**
- **Restores normal body fluid and electrolyte balance**
- **Helps reverse loss of body weight**



DESCRIPTION OF ACTIVE INGREDIENTS:

DEXTROSE: Efficiently replenishes blood glucose levels to correct hypoglycemia and stimulates electrolyte and water assimilation

GLYCINE: Promotes intestinal absorption of water and sodium and helps spare protein utilization for energy purposes

SODIUM ACETATE: Rapidly metabolized, provides an immediate energy source plus adequate bicarbonate levels to correct acidosis without inhibiting milk clotting

POTASSIUM CHLORIDE: Restores normal intracellular potassium levels to correct hypokalemia

SODIUM CHLORIDE: Restores sodium and is a major factor in the assimilation of water to effectively correct dehydration

SODIUM CITRATE: Enhances the absorption of electrolytes and water

Preparation: Hydra-Lyte readily dissolves in water and is easily absorbed. Prepare solution by dissolving the contents of both compartments of this package in two quarts of warm water. Prepare the solution just prior to use and administer with an esophageal probe, nursing bottle or pail.

Feeding Directions: Administer two quarts of Hydra-Lyte solution to each calf or foal twice daily for the first two days. Feed the Hydra-Lyte solution as extra meals while still feeding milk or milk replacer. If the animal refuses milk, feed the Hydra-Lyte solution and resume feeding the milk or milk replacer at the next scheduled feeding. On the third and fourth days administer one quart Hydra-Lyte solution mixed with one quart of either milk or milk replacer to each calf or foal two times each day. Lambs will require about one fourth of the above dosage. Most treated animals can be returned to normal feeding on the fifth day, but treatment can be continued on the fifth through seventh days.

Note: In cases when extra supplementation is needed or in large neonatal animals, two quarts of Hydra-Lyte solution should be administered to each calf or foal four times each day for the first two days. One fourth this dosage is required for lambs. Use the same dosage regimen for the third and fourth days as recommended above.

Ingredients: Dextrose, sodium acetate, potassium chloride, glycine, sodium citrate, sodium chloride.

Guaranteed Analysis per Packet

(All values are minimum quantities unless otherwise stated.)

Sodium (min).....3.2%
 Sodium (max).....3.6%
 Potassium..... 1.4%
 Chloride.....1.8%

KEEP OUT OF REACH OF CHILDREN

Store in a cool, dry place

CALL US TODAY AT
800-831-0004

Each liter of solution contains:

Potassium.....30 mEq
 Sodium.....85 mEq
 Acetate.....60 mEq
 Chloride.....45 mEq
 Citrate.....10 mEq
 Glycine.....16 mM
 Glucose.....368 mM
 Total Osmolarity.....614 mM
 Total Metabolizable Energy...296 KCal